



HOBARTS

Machinery | Materials | Manufacturing

3D PRINTING - LASER CUTTERS - FUME EXTRACTION - LASERABLE MATERIALS - ACRYLIC MANUFACTURING



3D PrintPRO 2

3D PRINTING

For open framed 3D printers.

The BOFA 3D PrintPRO 2 is a low cost unit, which extracts fumes generated by an open framed 3D printer without causing the filament deposition area to be cooled.

It has the benefits of low noise level and minimal power consumption. Each unit can be supplied with a connection hose, 'Stay Put' arm and conical shaped funnel.

Print your own extendable manifolds 3D drawing files can be found at: bofainternational.com/en/print-your-own

Key features of the 3D PrintPRO 2

Filter change indicator

Hose kit included

Powder coated for durability



Compact size

3 level filtration - pre, HEPA and chemical filters

Low noise level

Small footprint

Airflow through filters



Technical specification

- 1. Filter change indicator
- 5. Lid fastening latches

- 2. On / Off switch
- 6. Hose inlet connections - 50mm

- 3. Feet
- 7. Exhaust outlets

- 4. Power cable inlet



Hose kit technical specification

- 1. Funnel
- 5. 2 x 'G' clamps

- 2. 50mm 'Stay Put' arm
- 6. 60mm flexible hose

- 3. Fliptop mount
- 7. 2 x jubilee clamp

- 4. Table bracket
- 8. Shut off valve



Technical data

	EU	US
Dimensions (HxWxD)	330 x 290 x 270mm	12.99 x 11.42 x 10.63"
Cabinet construction	Powder coated mild steel	Powder coated mild steel
Airflow / pressure	45m ³ /hr	26.5cfm
Electrical data	230v 1ph 50/60Hz Full load current: 0.2 amps	115v 60/50Hz Full load current: 0.2 amps
Noise level	< 44dBA (at typical operating speed)	< 44dBA (at typical operating speed)
Weight	7.8kgs	17lbs
Approvals	CE	CE

Pre filter specifications

Filter media	Glass fibre
Filter media construction	Pad
Filter efficiency	96% @ 2 microns

Combined HEPA / Gas filter specifications

HEPA filter media	Glass fibre
HEPA media construction	Maxi pleat construction with webbing spacers
Gas filter	Treated activated carbon
Filter housing	Zintec mild steel
Filter efficiency	99.997% @0.3 microns

Unit part numbers

Model	Part number	Optional 24v Stop/Start
3D PrintPRO 2 Powder coated	L5444-0000	A2001
3D PrintPRO 2 Powder coated + install kit & arm	L5444-0002	A2001

Replacement filter part numbers

Model	Pre filter	Combined HEPA/Gas filter
3D PrintPRO 2	A1030102	A1030099

Datasheet correct at time of publishing.

Where applicable, the carbon used in BOFA units is capable of removing a wide range of VOC's, however it is the responsibility of the user to ensure the carbon is suitable for their application. For specific applications, please contact us for details.

Think before you print! Please consider the environment before printing this document.